

Les publications issues des projets

Abboud P, Lemee V, Gargala G, Brasseur P, Ballet JJ, Borsa-Lebas F, et al. Successful treatment of metronidazole- and albendazole-resistant giardiasis with nitazoxanide in a patient with acquired immunodeficiency syndrome. *Clin Infect Dis* 2001;32(12):1792-4.

Abrous M, Dreyfuss G, Rondelaud D. The ability of eight species of freshwater snails to sustain the larval development of *Paramphistomum daubneyi* Dinnikj, either singly or in combination with *Fasciola hepatica* Linné. *Rev Med Vet* 1999;150(8-9):727-732.

Abrous M, Rondelaud D, Dreyfuss G. Influence of low temperatures on the cercarial shedding of *Paramphistomum daubneyi* from the snail *Lymnaea truncatula*. *Parasite* 1999;6(1):85-8.

Abrous M, Rondelaud D, Dreyfuss G. Cercarial productivity of redial generations in single-miracidium infections of *Lymnaea truncatula* with *Paramphistomum daubneyi* or *Fasciola hepatica*. *J Helminthol* 2000;74(1):1-5.

Abrous M, Rondelaud D, Dreyfuss G. A field study of natural infections in three freshwater snails with *Fasciola hepatica* and/or *Paramphistomum daubneyi* in central France. *J Helminthol* 2000;74(3):189-94.

Abrous M, Rondelaud D, Dreyfuss G. The stress of *Lymnaea truncatula* just before miracidial exposure with *Fasciola hepatica* increased the prevalence of infection. *Exp Parasitol* 2001;99(1):49-51.

Abrous M, Rondelaud D, Dreyfuss G, Cabaret J. Infection of *Lymnaea truncatula* and *Lymnaea glabra* by *Fasciola hepatica* and *Paramphistomum daubneyi* in farms of central France. *Vet Res* 1999;30(1):113-8.

Abrous M, Vareille-Morel C, Rondelaud D, Dreyfuss G, Cabaret J. Metacercarial aggregation in Digenea (*Fasciola hepatica* and *Paramphistomum daubneyi*): environmental or species determinism? *J Helminthol* 2001;75(4):307-11.

Alberto F, Broussolle V, Mason DR, Carlin F, Peck MW. Variability in spore germination response by strains of proteolytic *Clostridium botulinum* types A, B and F. *Lett Appl Microbiol* 2003;36(1):41-5.

Aninat C, Hayashi Y, Andre F, Delaforge M. Molecular requirements for inhibition of cytochrome p450 activities by roquefortine. *Chem Res Toxicol* 2001;14(9):1259-65.

Annesi-Maesano I, Orszczyn MP, Moreau D, Barny S, Deniaud F, Noël M, Pierre M. Risk factors for allergic sensitisation to *Blomai Tropicalis* in adolescents in New Caledonian adolescents. *Am J Respir Crit Care Med* 2001;163:A722.

Annesi-Maesano I, Orszczyn MP, Debotte G, Moreau D. Are all the animals equal in the Noah's ark. Risk, selection or protective effect of animal allergens in IgE-mediated allergy. ISAAC - New Caledonia. *Eur Respir J* 2001;18(suppl 33):351s.

Annesi-Maesano I, Orszczyn MP, Moreau D, Debotte G, Barny S, Deniaud F, et al. Traditional lifestyle is not related to IgE-mediated allergy in New Caledonian adolescents. *Am J Respir Crit Care Med* 2001;163:A271.

Armand-Balmat C. Comportement du consommateur et produits biologiques : le consentement à payer pour la caractéristique biologique. *REP* 2002;112(1):33-63.

Aubry-Damon H, Andremont A, Lienard M, Delzescaux D. Etude de prévalence de la résistance aux antibiotiques des bactéries colonisant l'homme en contact ou non avec les élevages de porc en France en 2000. Paris: Inserm, FNCSBV, MSA, InVS; 2002 march 2002.

Aubry-Damon H, Grenet K, Sall-Ndiaye P, Che D, Cordeiro E, Bougnoux ME, et al. Antimicrobial resistance in commensal flora of pig farmers. *Emerg Infect Dis* 2004;10(5):873-9.

Auger J, Eustache F, Andersen AG, Irvine DS, Jorgensen N, Skakkebaek NE, et al. Sperm morphological defects related to environment, lifestyle and medical history of 1001 male partners of pregnant women from four European cities. *Hum Reprod* 2001;16(12):2710-7.

Auger J, Eustache F, Ducot B, Blandin T, Daudin M, Diaz I, et al. Intra- and inter-individual variability in human sperm concentration, motility and vitality assessment during a workshop involving ten laboratories. *Hum Reprod* 2000;15(11):2360-8.

Auger J, Jouannet P. Evidence for regional differences of semen quality among fertile French men. *Federation Francaise des Centres d'Etude et de Conservation des Oeufs et du Sperme humains. Hum Reprod* 1997;12(4):740-5.

Badou A, Savignac M, Moreau M, Leclerc C, Foucras G, Cassar G, et al. Weak TCR stimulation induces a calcium signal that triggers IL-4 synthesis, stronger TCR stimulation induces MAP kinases that control IFN-gamma production. *Eur J Immunol* 2001;31(8):2487-96.

Balaguer P, Boussioux AM, Demirpence E, Nicolas JC. Reporter cell lines are useful tools for monitoring biological activity of nuclear receptor ligands. *Luminescence* 2001;16(2):153-8.

Baldi I, Filleul L, Mohammed-Brahim B, Fabrigoule C, Dartigues JF, Schwall S, et al. Neuropsychologic effects of long-term exposure to pesticides: results from the French Phytoner study. *Environ Health Perspect* 2001;109(8):839-44.

Barbier O, Jacquillet G, Tauc M, Poujeol P, Cougnon M. Acute Study of Interaction between Cadmium, Calcium and Zinc Transport Along the Rat Nephron in Vivo. *Am J Physiol Renal Physiol* 2004:sous presse.

Barouki R, Massaad C, Garlatti M. Brevet n°97 16062: INSERM; 1997 18 décembre 1997. Report No.: 97 16062.

Baysson H, Billon S, Laurier D, Rogel A, Tirmarche M. Seasonal correction factors for estimating radon exposure in dwellings in France. *Radiat Prot Dosimetry* 2003;104(3):245-52.

Bazire A, Schorvaert D, Jouannet P, Multigner L, Auger J. Caractéristiques de morphologie et de mouvements de spermatozoïdes de *Rattus rattus* provenant de trois écosystèmes guadeloupéens : impact probable des pollutions environnementales. *Andrologie* 2000;12:383-384.

Ben-Brik E, Jerome L, Arnaud I, Yous S, Labat L, Haguenoer JM, et al. Exposure to glycol ethers in a population of French men evaluated by measurement of urinary alkoxy-carboxylic acids. *Int Arch Occup Environ Health* 2004;77(5):368-72.

Bendridi N, LeJeune H, Pugeat M. La fécondité masculine serait-elle menacée par l'environnement ? Rôle potentiel des xéno-estrogènes. *Rev Franç Endocrin Clin* 1999;XL.

Bendridi N, LeJeune H, Pugeat M. Xénobiotiques et altération de la fonction de reproduction chez l'homme. *Métabolismes-Hormones-Nutrition* 2001;V(6):281-285.

Bendridi N, Mappus E, Cuilleron C, Grenot C, Pugeat M. Interaction du bisphenol A avec la sex hormone-binding globulin (SHBG) : conséquences sur sa biodisponibilité in vivo. *Ann Endocrin* 2000;4:362.

Bendridi N, Mappus E, Grenot C, Lejeune H, Yves Cuilleron C, Pugeat M. Intravenous injection of human sex steroid hormone-binding globulin in mouse decreases blood clearance rate and testicular accumulation of orally administered 12-125Iiodobisphenol A. *Steroids* 2002;67(7):637-45.

Berenguer P, Soulage C, Fautrel A, Pequignot JM, Abiraini JH. Behavioral and neurochemical effects induced by subchronic combined exposure to toluene at 40 ppm and noise at 80 dB-A in rats. *Physiol Behav* 2004;81(3):527-34.

Berenguer P, Soulage C, Perrin D, Pequignot JM, Abiraini JH. Behavioral and neurochemical effects induced by subchronic exposure to 40 ppm toluene in rats. *Pharmacol Biochem Behav* 2003;74(4):997-1003.

Bernard C, Harvey M, Briand JF, Bire R, Kryszewski S, Fontaine JJ. Toxicological comparison of diverse *Cylindrospermopsis raciborskii* strains: evidence of liver damage caused by a French *C. raciborskii* strain. *Environ Toxicol* 2003;18(3):176-86.

Bertin Y, Boukhors K, Pradel N, Livrelli V, Martin C. Stx2 subtyping of Shiga toxin-producing *Escherichia coli* isolated from cattle in France: detection of a new Stx2 subtype and correlation with additional virulence factors. *J Clin Microbiol* 2001;39(9):3060-5.

Bjedov I, Lecointre G, Tenailon O, Vaury C, Radman M, Taddei F, et al. Polymorphism of genes encoding SOS polymerases in natural populations of *Escherichia coli*. *DNA Repair (Amst)* 2003;2(4):417-26.

Blais A, Lecoquer S, Milhaud G, Tome D, Kolf-Claw M. Cadmium uptake and transepithelial transport in control and long-term exposed Caco-2 cells: the role of metallothionein. *Toxicol Appl Pharmacol* 1999;160(1):76-85.

Boislevé F, Kerdine-Romer S, Rougier-Larzat N, Pallardy M. Nickel and DNCB induce CCR7 expression on human dendritic cells through different signalling pathways: role of TNF-alpha and MAPK. *J Invest Dermatol* 2004;123(3):494-502.

Boublik Y, Saint-Aguet P, Lougarre A, Arnaud M, Villatte F, Estrada-Mondaca S, et al. Acetylcholinesterase engineering for detection of insecticide residues. *Protein Eng* 2002;15(1):43-50.

Bouillard-Dalbos B, Baldi I, Filleul L, Mohammed-Brahim B, Schwall S, Drevet JP, et al. Exposition professionnelle aux pesticides et troubles psychiatriques. *Arch Mal Prof* 2001;62:22-29.

Bouillard-Dalbos B, Baldi I, Filleul L, Mohammed-Brahim B, Schwall S, JP D, et al., Exposition professionnelle aux pesticides et troubles psychiatriques. *Arch Mal Prof* 2001;62.

Brasseur P, Lemeteil D, Ballet JJ. Anti-cryptosporidial drug activity screened with an immunosuppressed rat model. *J Protozool* 1991;38(6):230S-231S.

Brasseur P, Lemeteil D, Ballet JJ. Curative and preventive anticryptosporidium activities of simefungin in an immunosuppressed adult rat model. *Antimicrob Agents Chemother* 1993;37(4):889-92.

Britton M. The epidemiology of mesothelioma. *Semin Oncol* 2002;29(1):18-25.

Broussolle V, Alberto F, Shearman C, Mason DR, Nguyen-the C, Peck M, et al. Molecular and physiological characterisation of spore germination in *Clostridium botulinum* and *clostridium sporogenes*. *Anaerobe* 2002;8(3):89-100.

Brugère H, Andral B, Bouvet J, Espié E, Leclerc C, Roze S, et al. Epidémiologie environnementale et alimentaire des *Escherichia coli* shiga-toxinogènes (STEC). Maisons-Alfort: AFSSA; 2003 avril 2003.

Brugère H, Andral B, Bouvet J, Espié E, Leclerc V, Roze S, et al. Epidémiologie environnementale et alimentaire des *Escherichia coli* shiga-toxinogènes.: AFSSA; 2003 Avril 2003.

Bruning T, Bolt HM. Renal toxicity and carcinogenicity of trichloroethylene: key results, mechanisms, and controversies. *Crit Rev Toxicol* 2000;30(3):253-85.

- Campagna D, Huel G, Girard F, Sahuquillo J, Blot P. Environmental lead exposure and activity of delta-aminolevulinic acid dehydratase (ALA-D) in maternal and cord blood. *Toxicology* 1999;134(2-3):143-52.
- Campagna D, Huel G, Hellier G, Girard F, Sahuquillo J, Fagot-Campagna A, et al. Negative relationships between erythrocyte Ca-pump activity and lead levels in mothers and newborns. *Life Sci* 2000;68(2):203-15.
- Carpentier A. Valuation of non-market goods using microdata on markets good demands. In: *Contingent valuation methods*; 2003 23-24 juin; Marseille: IDEP- GREQAM; 2003.
- Cautain B, Damoiseaux J, Bernard I, Xystrakis E, Fournie E, van Breda Vriesman P, et al. The CD8 T cell compartment plays a dominant role in the deficiency of Brown-Norway rats to mount a proper type 1 immune response. *J Immunol* 2002;168(1):162-70.
- Chaize B, Winterhalter M, Fournier D. Encapsulation of acetylcholinesterase in preformed liposomes. *Biotechniques* 2003;34(6):1158-60, 1162.
- Chesnot T, Marly X, Chevalier S, Estevenon O, Bues M, Schwartzbrod J. Optimised immunofluorescence procedure for enumeration of *Cryptosporidium parvum* oocyst suspensions. *Water Res* 2002;36(13):3283-8.
- Chignard M, Balloy V. Neutrophil recruitment and increased permeability during acute lung injury induced by lipopolysaccharide. *Am J Physiol Lung Cell Mol Physiol* 2000;279(6):L1083-90.
- Clavel J, Goubin A, Auclerc MF, Auvrignon A, Waterkeyn C, Patte C, et al. Incidence of childhood leukaemia and non-Hodgkin's lymphoma in France: National Registry of Childhood Leukaemia and Lymphoma, 1990-1999. *Eur J Cancer Prev* 2004;13(2):97-103.
- Cogne M, Basseur P, Ballet JJ. Detection and characterization of serum antitrichomonal antibodies in urogenital trichomoniasis. *J Clin Microbiol* 1985;21(4):588-92.
- Colletier JP, Chaize B, Winterhalter M, Fournier D. Protein encapsulation in liposomes: efficiency depends on interactions between protein and phospholipid bilayer. *BMC Biotechnol* 2002;2(1):9.
- Cordier S. Reproduction. In: Gérin M, Gosselin P, Cordier S, Viau C, Quénel P, and Dewailly E, editor. *Environnement et santé publique. Fondements et pratiques*. Montréal, Paris: edisem, Tec & Doc; 2003. p. 641-667.
- Cordier S, Garel M, Mandereau L, Morcel H, Doineau P, Gosme-Seguret S, Josse D, White R, Amiel-Tison C. Neurodevelopmental investigations among methylmercury-exposed children in French Guiana. *Environ. Res.* 2002; 89 (1): 1-11
- Chevrier C, Perret C, Bahuau M, Nelva A, Herman C, Francannet C, Robert Gnansia E, Cordier S. Interaction between the ADH1C polymorphism and maternal alcohol intake in the risk of nonsyndromic oral clefts : An evaluation of the contribution of child and maternal genotypes. *Birth Defects Res A Clin Mol Teratol.* 2004 Dec 15
- Dar Y, Vignoles P, Dreyfuss G, Rondelaud D. *Fasciola hepatica* and *Fasciola gigantica*: comparative morphometric studies on the redial stage of both species. *Parasitol Res* 2003;91(5):369-73.
- Dechaud H, Ravard C, Claustrat F, de la Perrière AB, Pugeat M. Xenoestrogen interaction with human sex hormone-binding globulin (hSHBG). *Steroids* 1999;64(5):328-34.
- Delabre K, Zanelli F, Teulières F, Monpoeho S, Ferre V, De Roubin M. Use of a molecular method in a routine laboratory. Example of the detection of viruses from sludge samples. In: *Water Quality technology conference*; 2002 10-14 novembre 2002; SEATTLE; 2002.
- Delaforge M, Bouille G, Jaouen M, Jankowski CK, Lamouroux C, Bensoussan C. Recognition and oxidative metabolism of cyclopeptides by hepatic cytochrome P450. *Peptides* 2001;22(4):557-65.
- Delaunay A, Gargala G, Li X, Favennec L, Ballet JJ. Quantitative flow cytometric evaluation of maximal *Cryptosporidium parvum* oocyst infectivity in a neonate mouse model. *Appl Environ Microbiol* 2000;66(10):4315-7.
- Denamur E, Bonacorsi S, Giraud A, Duriez P, Hilali F, Amorin C, et al. High frequency of mutator strains among human uropathogenic *Escherichia coli* isolates. *J Bacteriol* 2002;184(2):605-9.
- Denamur E, Lecointre G, Darlu P, Tenaillon O, Acquaviva C, Sayada C, et al. Evolutionary implications of the frequent horizontal transfer of mismatch repair genes. *Cell* 2000;103(5):711-21.
- Dionisio F, Matic I, Radman M, Rodrigues OR, Taddei F. Plasmids spread very fast in heterogeneous bacterial communities. *Genetics* 2002;162(4):1525-32.
- Dor F, Dab W, Empereur-Bissonnet P, Zmirou D. Validity of biomarkers in environmental health studies: the case of PAHs and benzene. *Crit Rev Toxicol* 1999;29(2):129-68.
- Dor F, Empereur-Bissonnet P, Zmirou D, Nedellec V, Haguenoer JM, Jongeneelen F, et al. Validation of multimedia models assessing exposure to PAHs--the SOLEX study. *Risk Anal* 2003;23(5):1047-57.
- Dor F, Haguenoer JM, Zmirou D, Empereur-Bissonnet P, Jongeneelen FJ, Nedellec V, et al. Urinary 1-hydroxypyrene as a biomarker of polycyclic aromatic hydrocarbons exposure of workers on a contaminated site: influence of exposure conditions. *J Occup Environ Med* 2000;42(4):391-7.
- Dor F, Jongeneelen F, Zmirou D, Empereur-Bissonnet P, Nedellec V, Haguenoer JM, et al. Feasibility of assessing dermal exposure to PAHs of workers on gaswork sites--the SOLEX study. *Sci Total Environ* 2000;263(1-3):47-55.
- Dor F, Person A, Zmirou D, Empereur-Bissonnet P, Nedellec V, Haguenoer JM, et al. Personal exposure of workers to atmospheric PAHs on gasworks sites--The SOLEX study. *Appl Occup Environ Hyg* 2001;16(6):655-9.
- Dreyfuss G, Abrous M, Rondelaud D. The susceptibility of *Lymnaea fuscus* to experimental infection with *Fasciola hepatica*. *J Parasitol* 2000;86(1):158-60.
- Dreyfuss G, Vignoles P, Abrous M, Rondelaud D. Unusual snail species involved in the transmission of *Fasciola hepatica* in watercress beds in central France. *Parasite* 2002;9(2):113-20.
- Dreyfuss G, Vignoles P, Rondelaud D. Variability of *Fasciola hepatica* infection in *Lymnaea ovata* in relation to snail population and snail age. *Parasitol Res* 2000;86(1):69-73.
- Dreyfuss G, Vignoles P, Rondelaud D, Vareille-Morel C. *Fasciola hepatica*: characteristics of infection in *Lymnaea truncatula* in relation to the number of miracidia at exposure. *Exp Parasitol* 1999;92(1):19-23.
- Ducoudret O, Barbier O, Tauc M, Fuchs M, Poujeol P. Characterization of Zn(2+) transport in Madin-Darby canine kidney cells. *Biochim Biophys Acta* 2003;1611(1-2):171-9.
- Elbaz A, Levecque C, Clavel J, Vidal JS, Richard F, Amouyel P, et al. CYP2D6 polymorphism, pesticide exposure, and Parkinson's disease. *Ann Neurol* 2004;55(3):430-4.
- Elbaz A, Levecque C, Clavel J, Vidal JS, Richard F, Correze JR, et al. S18Y polymorphism in the UCH-L1 gene and Parkinson's disease: evidence for an age-dependent relationship. *Mov Disord* 2003;18(2):130-7.
- Emptoz-Bonneton A, Crave JC, LeJeune H, Brebant C, Pugeat M. Corticosteroid-binding globulin synthesis regulation by cytokines and glucocorticoids in human hepatoblastoma-derived (HepG2) cells. *J Clin Endocrinol Metab* 1997;82(11):3758-62.
- Eustache F, Jouannet P, Auger J. Evaluation of flow cytometric methods to measure human sperm concentration. *J Androl* 2001;22(4):558-67.
- Evrard A, Hémon D, Billon S, Laurier D, Tirmarche M, Clavel J. Ecological Association between domestic radon exposure and childhood leukaemia incidence in France, 1990-1998. *Eur J Cancer Prev* sous presse.
- Fach P, Perelle S, Dilasser F, Grout J, Dargaignaratz C, Botella L, et al. Detection by PCR-enzyme-linked immunosorbent assay of *Clostridium botulinum* in fish and environmental samples from a coastal area in northern France. *Appl Environ Microbiol* 2002;68(12):5870-6.
- Fenet H, Gomez E, Pillon A, Rosain D, Nicolas JC, Casellas C, et al. Estrogenic activity in water and sediments of a French river: contribution of alkylphenols. *Arch Environ Contam Toxicol* 2003;44(1):1-6.
- Fessard V, Bernard C. Cell alterations but no DNA strand breaks induced in vitro by cylindrospermopsin in CHO K1 cells. *Environ Toxicol* 2003;18(5):353-9.
- Field AC, Bloch MF, Bellon B. Neonatal tolerance to a Th2-mediated autoimmune disease generates CD8+ Tc1 regulatory cells. *J Autoimmun* 2003;21(3):201-12.
- Field AC, Caccavelli L, Bloch MF, Bellon B. Regulatory CD8+ T cells control neonatal tolerance to a Th2-mediated autoimmunity. *J Immunol* 2003;170(5):2508-15.
- Field AC, Caccavelli L, Fillion J, Kuhn J, Mandet C, Bellon B. Neonatal induction and maintenance of tolerance to Th2-induced immune manifestations in rats. *Transplant Proc* 2001;33(3):2275-6.
- Field AC, Caccavelli L, Fillion J, Kuhn J, Mandet C, Druet P, et al. Neonatal induction of tolerance to T(h)2-mediated autoimmunity in rats. *Int Immunol* 2000;12(10):1467-77.
- Fleury-Feith J, Lecomte C, Renier A, Matrat M, Kheuang L, Abramowski V, et al. Hemizygoty of Nf2 is associated with increased susceptibility to asbestos-induced peritoneal tumours. *Oncogene* 2003;22(24):3799-805.
- Fournie GJ, Cautain B, Xystrakis E, Damoiseaux J, Mas M, Lagrange D, et al. Cellular and genetic factors involved in the difference between Brown Norway and Lewis rats to develop respectively type-2 and type-1 immune-mediated diseases. *Immunol Rev* 2001;184:145-60.
- Fournie GJ, Mas M, Cautain B, Savignac M, Subra JF, Pelletier L, et al. Induction of autoimmunity through bystander effects. Lessons from immunological disorders induced by heavy metals. *J Autoimmun* 2001;16(3):319-26.
- Fournier S, Liguory O, Santillana-Hayat M, Guillot E, Sarfati C, Dumoutier N, et al. Detection of microsporidia in surface water: a one-year follow-up study. *FEMS Immunol Med Microbiol* 2000;29(2):95-100.
- Fremaux I, Mazeret S, Brisson-Lougarre A, Arnaud M, Ladurantie C, Fournier D. Improvement of *Drosophila* acetylcholinesterase stability by elimination of a free cysteine. *BMC Biochem* 2002;3(1):21.
- Funk K, Rabl A. Electric versus conventional vehicles. *Transportation Research. part D : Transport and Environment* 1999;4(6):397-411.
- Gargala G, Delaunay A, Favennec L, Basseur P, Ballet JJ. Enzyme immunoassay detection of *Cryptosporidium parvum* inhibition by simefungin in sporozoite infected HCT-8 enterocytic cells. *Int J Parasitol* 1999;29(5):703-9.
- Gargala G, Delaunay A, Li X, Basseur P, Favennec L, Ballet JJ. Efficacy of nitazoxanide, tizoxanide and tizoxanide glucuronide against *Cryptosporidium parvum* development in sporozoite-infected HCT-8 enterocytic cells. *J Antimicrob Chemother* 2000;46(1):57-60.

Garrigues A, Loiseau N, Delaforge M, Ferte J, Garrigos M, Andre F, et al. Characterization of two pharmacophores on the multidrug transporter P-glycoprotein. *Mol Pharmacol* 2002;62(6):1288-98.

Geniaux G R, A. Les méthodes de quantification économiques des coûts sanitaires de la pollution atmosphérique. *Economie Publique : Etudes et Recherches*. 1998;1:161-217.

Gerba C, Rose J, Hass C, Crabtree K. Waterborne rotavirus : a risk assessment. *Water Research* 1996;30(12):2929-2940.

Giraud A, Matic I, Radman M, Fons M, Taddei F. Mutator bacteria as a risk factor in treatment of infectious diseases. *Antimicrob Agents Chemother* 2002;46(3):863-5.

Giraud A, Matic I, Tenailon O, Clara A, Radman M, Fons M, et al. Costs and benefits of high mutation rates: adaptive evolution of bacteria in the mouse gut. *Science* 2001;291(5513):2606-8.

Giraud A, Radman M, Matic I, Taddei F. The rise and fall of mutator bacteria. *Curr Opin Microbiol* 2001;4(5):582-5.

Gofti L, Zmirou D, Seigle Murandi F, Hartemann P, Potelon JL. Waterborne microbiological risk assessment: a state of the art and perspectives. *Rev Epidemiol Sante Publique* 1999;47(1):61-73.

Gofti-Laroche L, Gratacap-Cavallier B, Demanse D, Genoulaz O, Seigneurin JM, Zmirou D. Are waterborne astrovirus implicated in acute digestive morbidity (E.M.I.R.A. study)? *J Clin Virol* 2003;27(1):74-82.

Gofti-Laroche L, Gratacap-Cavallier B, Genoulaz O, Joret JC, Hartemann P, Seigneurin JM, et al. A new analytical tool to assess health risks associated with the virological quality of drinking water (EMIRA study). *Water Sci Technol* 2001;43(12):39-48.

Gofti-Laroche L, Joret JC, Demanse D, Zmirou D. Health risks and parasitological quality of water (E.M.I.R.A. Study). *J Am Water Works Ass* 2003;95(5):162-172.

Gofti-Laroche L, Potelon JL, Da Silva E, Zmirou D. Description of drinking water intake in French communities (E.M.I.R.A. study). *Rev Epidemiol Sante Publique* 2001;49(5):411-22.

Guyot R, Magre S, Leduque P, Le Magueresse-Battistoni B. Differential expression of tissue inhibitor of metalloproteinases type 1 (TIMP-1) during mouse gonad development. *Dev Dyn* 2003;227(3):357-66.

Guyot R, Odet F, Leduque P, Forest MG, Magueresse-Battistoni BL. Diethylstilbestrol inhibits the expression of the steroidogenic acute regulatory protein in mouse fetal testis. *Mol Cell Endocrinol* 2004;220(1-2):67-75.

Hecht SS. Tobacco smoke carcinogens and lung cancer. *J Natl Cancer Inst* 1999;91(14):1194-210.

Hot D, Legeay O, Jacques J, Gantzer C, Caudrelier Y, Guyard K, et al. Detection of somatic phages, infectious enteroviruses and enterovirus genomes as indicators of human enteric viral pollution in surface water. *Water Res* 2003;37(19):4703-10.

Huc L, Sparfel L, Rissel M, Dimanche-Boitrel MT, Guillouzo A, Fardel O, et al. Identification of Na⁺/H⁺ exchange as a new target for toxic polycyclic aromatic hydrocarbons. *Faseb J* 2004;18(2):344-6.

Huel G, Yazbeck C, Burnel D, Missy P, Kloppmann W. Environmental boron exposure and activity of delta-aminolevulinic acid dehydratase (ALA-D) in a newborn population. *Toxicol Sci* 2004;80(2):304-9.

Ielsch G, Ferry C, Tymen G, Robe MC. Study of a predictive methodology for quantification and mapping of the radon-222 exhalation rate. *J Environ Radioact* 2002;63(1):15-33.

Ielsch G, Thieblemont D, Labed V, Richon P, Tymen G, Ferry C, et al. Radon (222Rn) level variations on a regional scale: influence of the basement trace element (U, Th) geochemistry on radon exhalation rates. *J Environ Radioact* 2001;53(1):75-90.

Ielsch G, Thieblemont D, Perrin J, Tymen G. Geophysical and geochemical tools for radon mapping on a regional scale. In: Union AG, editor. 1999 Fall Meeting; 1999 16 novembre 1999; 1999. p. v 51A-07.

Jacquets S, Briand JF, Leboulanger C, Avois-Jacquet C, Oberhaus L, Tassin B, et al. The proliferation of the toxic cyanobacterium *Planktothrix rubescens* following festoration of the largest natural french lake (lake Bourget). *Harmful algae* 2004;sous presse.

Jensen TK, Slama R, Ducot B, Suominen J, Cawood EH, Andersen AG, et al. Regional differences in waiting time to pregnancy among fertile couples from four European cities. *Hum Reprod* 2001;16(12):2697-704.

Jorgensen N, Andersen AG, Eustache F, Irvine DS, Suominen J, Petersen JH, et al. Regional differences in semen quality in Europe. *Hum Reprod* 2001;16(5):1012-9.

Jourdan-Da Silva N, Perel Y, Mechinaud F, Plouvier E, Gandemer V, Lutz P, et al. Infectious diseases in the first year of life, perinatal characteristics and childhood acute leukaemia. *Br J Cancer* 2004;90(1):139-45.

Kassa M, Comby E, Lemeteil D, Brasseur P, Ballet JJ. Characterization of anti-Cryptosporidium IgA antibodies in sera from immunocompetent individuals and HIV-infected patients. *J Protozool* 1991;38(6):179S-180S.

Kauffmann F, Dizier MH, Annesi-Maesano I, Bousquet J, Charpin D, Demenais F, et al. EGEA (Epidemiological study on the Genetics and Environment of Asthma, bronchial hyperresponsiveness and atopy) : descriptive characteristics. *Clin Exp Allergy* 1999;29 Suppl 4:17-21.

Kauffmann F, Dizier MH, Annesi-Maesano I, Bousquet J, Charpin D, Demenais F, et al. Epidemiological study of genetic and environmental factors in asthma, bronchial hyperresponsiveness and atopy. Protocol and potential selection bias. *Rev Epidemiol Sante Publique* 2001;49(4):343-56.

Kauffmann F, Oryszczyn MP, Maccario J. The protective role of country living on skin prick tests, immunoglobulin E and asthma in adults from the Epidemiological study on the Genetics and Environment of Asthma, bronchial hyper-responsiveness and atopy. *Clin Exp Allergy* 2002;32(3):379-86.

Kramarova E, Kogevinas M, Anh CT, Cau HD, Dai LC, Stellman SD, et al. Exposure to Agent Orange and occurrence of soft-tissue sarcomas or non-Hodgkin lymphomas: an ongoing study in Vietnam. *Environ Health Perspect* 1998;106 Suppl 2:671-8.

La Scola B, Audic S, Robert C, Jungang L, de Lamballerie X, Drancourt M, et al. A giant virus in amoebae. *Science* 2003;299(5615):2033.

La Scola B, Boyadjiev I, Greub G, Khamis A, Martin C, Raoult D. Amoeba-resisting bacteria and ventilator-associated pneumonia. *Emerg Infect Dis* 2003;9(7):815-21.

La Scola B, Mallet MN, Grimont PA, Raoult D. Description of *Afipia birgiae* sp. nov. and *Afipia massiliensis* sp. nov. and recognition of *Afipia felis* genospecies A. *Int J Syst Evol Microbiol* 2002;52(Pt 5):1773-82.

La Scola B, Mallet MN, Grimont PA, Raoult D. *Bosea eneeae* sp. nov., *Bosea massiliensis* sp. nov. and *Bosea vestrisii* sp. nov., isolated from hospital water supplies, and emendation of the genus *Bosea* (Das et al. 1996). *Int J Syst Evol Microbiol* 2003;53(Pt 1):15-20.

Larauche M, Anton PM, Garcia-Villar R, Theodorou V, Frexinos J, Bueno L, et al. Protective effect of dietary nitrate on experimental gastritis in rats. *Br J Nutr* 2003;89(6):777-86.

Larauche M, Bueno L, Fioramonti J. Effect of dietary nitric oxide on gastric mucosal mast cells in absence or presence of an experimental gastritis in rats. *Life Sci* 2003;73(12):1505-16.

Lassurquere J, Livera G, Habert R, Jegou B. Time- and dose-related effects of estradiol and diethylstilbestrol on the morphology and function of the fetal rat testis in culture. *Toxicol Sci* 2003;73(1):160-9.

Laupeze B, Amiot L, Sparfel L, Le Ferrec E, Fauchet R, Fardel O. Polycyclic aromatic hydrocarbons affect functional differentiation and maturation of human monocyte-derived dendritic cells. *J Immunol* 2002;168(6):2652-8.

Laurier D, Valenty M, Tirmarche M. Radon exposure and the risk of leukemia: a review of epidemiological studies. *Health Phys* 2001;81(3):272-88.

Leboulanger C, Dorigo U, Jacquets S, Le Berre B, Paolini G, Humber tJF. Application of a submersible spectrofluorometer for the survey of a toxic cyanobacterial blooms : a case study. *Aquat Microbial Ecology* 2002;30(1):83-89.

Lecoeur S, Huynh-Delerme C, Blais A, Duche A, Tome D, Kolf-Clauw M. Implication of distinct proteins in cadmium uptake and transport by intestinal cells HT-29. *Cell Biol Toxicol* 2002;18(6):409-23.

Leksell I, Rabl A. Air pollution and mortality: quantification and valuation of years of life lost. *Risk Anal* 2001;21(5):843-57.

Lemeé V, Zaharia I, Nevez G, Rabodonirina M, Brasseur P, Ballet JJ, et al. Metronidazole and albendazole susceptibility of 11 clinical isolates of *Giardia duodenalis* from France. *J Antimicrob Chemother* 2000;46(5):819-21.

Lemeteil D, Roussel F, Favennec L, Ballet JJ, Brasseur P. Assessment of candidate anticryptosporidial agents in an immunosuppressed rat model. *J Infect Dis* 1993;167(3):766-8.

Levecque C, Elbaz A, Clavel J, Richard F, Vidal JS, Amouyel P, et al. Association between Parkinson's disease and polymorphisms in the nNOS and iNOS genes in a community-based case-control study. *Hum Mol Genet* 2003;12(1):79-86.

Levecque C, Elbaz A, Clavel J, Vidal JS, Amouyel P, Alperovitch A, et al. Association of polymorphisms in the Tau and Saitohin genes with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 2004;75(3):478-80.

Leynaert B, Korobaef, M, Jarvis, D, Chinn, S, Burney, P, Neukirch, F. Farm exposure in childhood and the risk of asthma, allergic rhinitis and atopy in adulthood. Results from the European Community Respiratory Health Survey (ECRHS). In: International society for environmental epidemiology (ISEE); 2001 2-5 septembre 2001; Garmisch-Partenkirchen: ISEE; 2001.

Leynaert B, Neukirch C, Jarvis D, Chinn S, Burney P, Neukirch F. Does living on a farm during childhood protect against asthma, allergic rhinitis, and atopy in adulthood? *Am J Respir Crit Care Med* 2001;164(10 Pt 1):1829-34.

Leynaert B, Neukirch C, Kony S, Guenegou A, Bousquet J, Aubier M, et al. Association between asthma and rhinitis according to atopic sensitization in a population-based study. *J Allergy Clin Immunol* 2004;113(1):86-93.

Loiseau N, Gomis JM, Santolini J, Delaforge M, Andre F. Predicting the conformational states of cyclic tetrapeptides. *Biopolymers* 2003;69(3):363-85.

Maccario J, Oryszczyn MP, Charpin D, Kauffmann F. Methodologic aspects of the quantification of skin prick test responses: the EGEA study. *J Allergy Clin Immunol* 2003;111(4):750-6.

Machelon V. Toxicité du plomb et fonctions ovariennes. *Reproduction Humaine et Hormones* 2000;XIII:552-557.

Mage C, Bourgne H, Toullieu JM, Rondelaud D, Dreyfuss G. *Fasciola hepatica* and *Paramphistomum daubneyi*: changes in prevalences of natural infections in cattle and in *Lymnaea truncatula* from central France over the past 12 years. *Vet Res* 2002;33(5):439-47.

Maillot C, Gargala G, Delaunay A, Ducrotte P, Brasseur P, Ballet JJ, et al. *Cryptosporidium parvum* infection stimulates the secretion of TGF-beta, IL-8 and RANTES by Caco-2 cell line. *Parasitol Res* 2000;86(12):947-9.

Maraganore DM, Lesnick TG, Elbaz A, Chartier-Harlin MC, Gasser T, Kruger R, et al. UCHL1 is a Parkinson's disease susceptibility gene. *Ann Neurol* 2004;55(4):512-21.

- Marchand A, Barouki R, Garlatti M. Regulation of NAD(P)H:quinone oxidoreductase 1 gene expression by CYP1A1 activity. *Mol Pharmacol* 2004;65(4):1029-37.
- Mariotte D, Comby E, Brasseur P, Ballet JJ. Kinetics of spleen and Peyer's patch lymphocyte populations during gut parasite clearing in *Cryptosporidium parvum* infected suckling mice. *Parasite Immunol* 2004;26(1):1-6.
- Marly X, Chevalier S, Buès M, Schwartzbrod J. Laboratory investigations of *Cryptosporidium parvum* oocysts adsorption properties. In: Rosbjerg et al, A B, editors. *International conference on Groundwater research*; 2000 6-8 juin 2000; 2000. p. 43-44.
- Marly X, Chevalier S, Bues M, Schwartzbrod J, Estevenon O. Experimental investigations and numerical modelling of *Cryptosporidium parvum* transport behaviour in aquifers. *Water Sci Technol* 2001;43(12):109-16.
- Mas M, Subra JF, Lagrange D, Pilipenko-Appolinaire S, Kermarrec N, Gauguier D, et al. Rat chromosome 9 bears a major susceptibility locus for IgE response. *Eur J Immunol* 2000;30(6):1698-705.
- Massaad C, Barouki R. An assay for the detection of xenoestrogens based on a promoter containing overlapping EREs. *Environ Health Perspect* 1999;107(7):563-6.
- Massaad C, Barouki R. Xénohormones : mode d'action et effets suspectés. *Médecine/Sciences* 1999;15:1362-1369.
- Massaad C, Coumoul X, Sabbah M, Garlatti M, Redeuilh G, Barouki R. Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. *Biochemistry* 1998;37(17):6023-32.
- Massaad C, Entezami F, Massade L, Benahmed M, Olivennes F, Barouki R, et al. How can chemical compounds alter human fertility? *Eur J Obstet Gynecol Reprod Biol* 2002;100(2):127-37.
- Matic I, Tenailon, O, Lecointre, G, Darlu, P, Radman M, Taddei, F, Denamur, E. Horizontal transfer of mismatch repair genes and the variable speed of bacterial evolution. In: Syvanen MaK, C.I., editor. *Horizontal gene transfer*. 2nd Edition ed. London: Academic Press Inc; 2002. p. 147-1555.
- Matic I, Babic A, Radman M. 2-aminopurine allows interspecies recombination by a reversible inactivation of the *Escherichia coli* mismatch repair system. *J Bacteriol* 2003;185(4):1459-61.
- Matic I, Taddei F, Radman M. No genetic barriers between *Salmonella enterica* serovar typhimurium and *Escherichia coli* in SOS-induced mismatch repair-deficient cells. *J Bacteriol* 2000;182(20):5922-4.
- Minoletti C, Santolini J, Haraux F, Pothier J, Andre F. Rebuilt 3D structure of the chloroplast f1 ATPase-tentoxin complex. *Proteins* 2002;49(3):302-20.
- Monpoeho S, Dehee A, Mignotte B, Schwartzbrod L, Marechal V, Nicolas JC, et al. Quantification of enterovirus RNA in sludge samples using single tube real-time RT-PCR. *Biotechniques* 2000;29(1):88-93.
- Monpoeho S, Maul A, Bonnin C, Patria L, Ranarijaona S, Billaudel S, et al. Clearance of human pathogenic viruses from sludge: study fo four stabilization processes using real-time RT-PCR and cell culture. *Appl Environ Microbiol* 2004;(in press).
- Monpoeho S, Maul A, Mignotte-Cadiergues B, Schwartzbrod L, Billaudel S, Ferre V. Best viral elution method available for quantification of enteroviruses in sludge by both cell culture and reverse transcription-PCR. *Appl Environ Microbiol* 2001;67(6):2484-8.
- Nasseau M, Boublik Y, Meier W, Winterhalter M, Fournier D. Substrate-permeable encapsulation of enzymes maintains effective activity, stabilizes against denaturation, and protects against proteolytic degradation. *Biotechnol Bioeng* 2001;75(5):615-8.
- Odet F, Guyot R, Leduque P, Le Magueresse-Battistoni B. Evidence for similar expression of protein C inhibitor and the urokinase-type plasminogen activator system during mouse testis development. *Endocrinology* 2004;145(3):1481-9.
- Oryszczyn MP, Annesi-Maesano I, Charpin D, Kauffmann F. Allergy markers in adults in relation to the timing of pet exposure: the EGEA study. *Allergy* 2003;58(11):1136-43.
- Oryszczyn MP, Annesi-Maesano I, Charpin D, Paty E, Maccario J, Kauffmann F. Relationships of active and passive smoking to total IgE in adults of the Epidemiological Study of the Genetics and Environment of Asthma, Bronchial Hyperresponsiveness, and Atopy (EGEA). *Am J Respir Crit Care Med* 2000;161(4 Pt 1):1241-6.
- Paris F, Balaguer P, Terouanne B, Servant N, Lacoste C, Cravedi JP, et al. Phenylphenols, biphenols, bisphenol-A and 4-tert-octylphenol exhibit alpha and beta estrogen activities and antiandrogen activity in reporter cell lines. *Mol Cell Endocrinol* 2002;193(1-2):43-9.
- Paris F, Servant N, Terouanne B, Balaguer P, Nicolas JC, Sultan C. A new recombinant cell bioassay for ultrasensitive determination of serum estrogenic bioactivity in children. *J Clin Endocrinol Metab* 2002;87(2):791-7.
- Payen L, Courtois A, Langouet S, Guillouzo A, Fardel O. Unaltered expression of multidrug resistance transporters in polycyclic aromatic hydrocarbon-resistant rat liver cells. *Toxicology* 2001;156(2-3):109-17.
- Perrilat-Menegaux F, Clavel J, Auclerc MF, Baruchel A, Leverger G, Nelken B, et al. Family history of autoimmune thyroid disease and childhood acute leukemia. *Cancer Epidemiol Biomarkers Prev* 2003;12(1):60-3.
- Perrilat F, Clavel J, Auclerc MF, Baruchel A, Leverger G, Nelken B, et al. Day-care, early common infections and childhood acute leukaemia: a multicentre French case-control study. *Br J Cancer* 2002;86(7):1064-9.
- Perrilat F, Clavel J, Jaussest I, Baruchel A, Leverger G, Nelken B, et al. Family cancer history and risk of childhood acute leukemia (France). *Cancer Causes Control* 2001;12(10):935-41.
- Perrilat F, Clavel J, Jaussest I, Baruchel A, Leverger G, Nelken B, et al. Breast-feeding, fetal loss and childhood acute leukaemia. *Eur J Pediatr* 2002;161(4):235-7.
- Pesando D, Robert S, Huitorel P, Gutknecht E, Pereira L, Girard JP, et al. Effects of methoxychlor, dieldrin and lindane on sea urchin fertilization and early development. *Aquat Toxicol* 2004;66(3):225-39.
- Picard A, Palavan G, Robert S, Pesando D, Ciapa B. Effect of organochlorine pesticides on maturation of starfish and mouse oocytes. *Toxicol Sci* 2003;73(1):141-8.
- Picard K, Lhuguenot JC, Lavier-Canivenc MC, Chagnon MC. Estrogenic activity and metabolism of n-butyl benzyl phthalate in vitro: identification of the active molecule(s). *Toxicol Appl Pharmacol* 2001;172(2):108-18.
- Pinelli E, Poux N, Garren L, Pipy B, Castegnaro M, Miller DJ, et al. Activation of mitogen-activated protein kinase by fumonisin B(1) stimulates cPLA(2) phosphorylation, the arachidonic acid cascade and cAMP production. *Carcinogenesis* 1999;20(9):1683-8.
- Pradel N, Boukhors K, Bertin Y, Forestier C, Martin C, Livrelli V. Heterogeneity of Shiga toxin-producing *Escherichia coli* strains isolated from hemolytic-uremic syndrome patients, cattle, and food samples in central France. *Appl Environ Microbiol* 2001;67(6):2460-8.
- Pradel N, De Champs C, Palcoux JB, Sirot J, Forestier C, Joly B, et al. Ivertoxin-producing *Escherichia coli* infections: study of its prevalence in children in the Auvergne region. *Arch Pediatr* 2000;7 Suppl 3:544s-550s.
- Pradel N, Leroy-Setrin S, Joly B, Livrelli V. Genomic subtraction to identify and characterize sequences of Shiga toxin-producing *Escherichia coli* O91:H21. *Appl Environ Microbiol* 2002;68(5):2316-25.
- Pradel N, Livrelli V, De Champs C, Palcoux JB, Reynaud A, Scheutz F, et al. Prevalence and characterization of Shiga toxin-producing *Escherichia coli* isolated from cattle, food, and children during a one-year prospective study in France. *J Clin Microbiol* 2000;38(3):1023-31.
- Rabl A. Les bénéfices monétaires d'une amélioration de la qualité de l'air en Ile-de-France. *Pollution Atmosphérique* 1999;161:83-84.
- Rabl A, Spadaro J.V. Environmental damages and costs : an analysis of uncertainties. *Environnement International* 1999;25(1):29-46.
- Rabl A, Funk K. Electrical versus conventional vehicules : social costs and benefits in France. *Transportation Research* 1999.
- Rabl A, Spadaro J.V. Health costs of automobile pollution. *Rev Franç Allergol Immunol Clin* 2000;40(1):55-59.
- Rondelaud D, Abrous M, Dreyfuss G. The influence of different food sources on cercarial production in *Lymnaea truncatula* experimentally infected with *Digenea*. *Vet Res* 2002;33(1):95-9.
- Rondelaud D, Dreyfuss G, Bouteille B, Darde ML. Changes in human fasciolosis in a temperate area: about some observations over a 28-year period in central France. *Parasitol Res* 2000;86(9):753-7.
- Rondelaud D, Vignoles P, Abrous M, Dreyfuss G. The definitive and intermediate hosts of *Fasciola hepatica* in the natural watercress beds in central France. *Parasitol Res* 2001;87(6):475-8.
- Rondelaud D, Vignoles P, Dreyfuss G. The presence of predators modifies the larval development of *Fasciola hepatica* in surviving *Lymnaea truncatula*. *J Helminthol* 2002;76(2):175-8.
- Rousellon N, Delgènes J, Godon J. A new real time PCR (TaqMan PCR) system for detection of the 16S rDNA gene associated with fecal bacteria. *J Microb Method* 2004;59:15-22.
- Roussel F, Favennec L, Lemeteil D, Tayot J, Ballet JJ, Brasseur P. Biliary tract cryptosporidiosis immunosuppressed rat model. *Int J Parasitol* 1996;26(1):19-24.
- Salez L, Singer M, Balloy V, Creminon C, Chignard M. Lack of IL-10 synthesis by murine alveolar macrophages upon lipopolysaccharide exposure. Comparison with peritoneal macrophages. *J Leukoc Biol* 2000;67(4):545-52.
- Salmeron S, Liard R, Elkharrat D, Muir J, Neukirch F, Ellrodt A. Asthma severity and adequacy of management in accident and emergency departments in France: a prospective study. *Lancet* 2001;358(9282):629-35.
- Savignac M, Badou A, Delmas C, Subra JF, De Cramer S, Paulet P, et al. Gold is a T cell polyclonal activator in BN and LEW rats but favors IL-4 expression only in autoimmune prone BN rats. *Eur J Immunol* 2001;31(8):2266-76.
- Savignac M, Badou A, Moreau M, Leclerc C, Guery JC, Paulet P, et al. Protein kinase C-mediated calcium entry dependent upon dihydropyridine sensitive channels: a T cell receptor-coupled signaling pathway involved in IL-4 synthesis. *Faseb J* 2001;15(9):1577-9.
- Schvoerer E, Bonnet F, Dubois V, Cazaux G, Serceau R, Fleury HJ, et al. PCR detection of human enteric viruses in bathing areas, waste waters and human stools in Southwestern France. *Res Microbiol* 2000;151(8):693-701.
- Schvoerer E, Ventura M, Dubos O, Cazaux G, Serceau R, Gournier N, et al. Qualitative and quantitative molecular detection of enteroviruses in water from bathing areas and from a sewage treatment plant. *Res Microbiol* 2001;152(2):179-86.
- Siroux V, Pin I, Oryszczyn MP, Le Moual N, Kauffmann F. Relationships of active smoking to asthma and asthma severity in the EGEA study. *Epidemiological study on the Genetics and Environment of Asthma*. *Eur Respir J* 2000;15(3):470-7.
- Slama R, Eustache F, Ducot B, Jensen TK, Jorgensen N, Horte A, et al. Time to pregnancy and semen parameters: a cross-sectional study among fertile couples from four European cities. *Hum Reprod* 2002;17(2):503-15.

Soulage C, Perrin D, Berenguer P, Pequignot JM. Sub-chronic exposure to toluene at 40 ppm alters the monoamine biosynthesis rate in discrete brain areas. *Toxicology* 2004;196(1-2):21-30.

Sparfel L, Huc L, Le Vee M, Desille M, Lagadic-Gossmann D, Fardel O. Inhibition of carcinogen-bioactivating cytochrome P450 1 isoforms by amiloride derivatives. *Biochem Pharmacol* 2004;67(9):1711-9.

Steffen C, Auclerc MF, Auvrignon A, Baruchel A, Kebaili K, Lambilliotte A, et al. Acute childhood leukaemia and environmental exposure to potential sources of benzene and other hydrocarbons; a case-control study. *Occup Environ Med* 2004;61(9):773-8.

Stenger A, Rozan, A, Willinger, M. Information on heavy metals and food safety : willingness to pay for risk reductions through some experimental actions. *risk and uncertainty in environmental economics* 2002;a paraître.

Stroheker T, Cabaton N, Berges R, Lamothe V, Lhuguenot JC, Chagnon MC. Influence of dietary soy isoflavones on the accessory sex organs of the Wistar rat. *Food Chem Toxicol* 2003;41(8):1175-83.

Stroheker T, Chagnon MC, Pinnert MF, Berges R, Canivenc-Lavier MC. Estrogenic effects of food wrap packaging xenoestrogens and flavonoids in female Wistar rats: a comparative study. *Reprod Toxicol* 2003;17(4):421-32.

Stroheker T, Picard K, Lhuguenot JC, Canivenc-Lavier MC, Chagnon MC. Steroid activities comparison of natural and food wrap compounds in human breast cancer cell lines. *Food Chem Toxicol* 2004;42(6):887-97.

Sultan C, Balaguer P, Terouanne B, Georget V, Paris F, Jeandel C, et al. Environmental xenoestrogens, antiandrogens and disorders of male sexual differentiation. *Mol Cell Endocrinol* 2001;178(1-2):99-105.

Tahiri B, Doco, T, Tressol, JC, Pellerin, P, Pepin, D, Rayssiguier, Y. Le rhamnogalacturonane II, un polysaccharide pectifique, diminue l'absorption intestinale et la rétention tissulaire du plomb chez le rat. *Bulletin de l'O.I.V.* 2001;841-842:100-107.

Tahiri M, Pellerin P, Tressol JC, Doco T, Pepin D, Rayssiguier Y, et al. The rhamnogalacturonan-II dimer decreases intestinal absorption and tissue accumulation of lead in rats. *J Nutr* 2000;130(2):249-53.

Tahiri M, Tressol JC, Doco T, Rayssiguier Y, Coudray C. Chronic oral administration of rhamnogalacturonan-II dimer, a pectic polysaccharide, failed to accelerate body lead detoxification after chronic lead exposure in rats. *Br J Nutr* 2002;87(1):47-54.

Takser L, Dellatolas G, Bowler R, Laplante N, Huel G. Predictive factors of manual dexterity and cognitive performance at 17 years: a 10-year longitudinal study in a rural area of France. *Percept Mot Skills* 2002;95(1):15-26.

Tang HW, Huel G, Campagna D, Hellier G, Boissinot C, Blot P. Neurodevelopmental evaluation of 9-month-old infants exposed to low levels of lead in utero: involvement of monoamine neurotransmitters. *J Appl Toxicol* 1999;19(3):167-72.

Taupeau C, Gaudin-Nome F, Lieberherr M, Machelon V. Lead (Pb2+) increases vascular endothelial growth factor -VEGF production in human post-LH ovarian granulosa cells and potentializes the estradiol effect on VEGF in the MCF-7 breast cancer cell line. *Environ Toxicol Pharmacol* 2004;sous presse.

Taupeau C, Poupon J, Nome F, Lefevre B. Lead accumulation in the mouse ovary after treatment-induced follicular atresia. *Reprod Toxicol* 2001;15(4):385-91.

Taupeau C, Poupon J, Treton D, Brosse A, Richard Y, Machelon V. Lead reduces messenger RNA and protein levels of cytochrome p450 aromatase and estrogen receptor beta in human ovarian granulosa cells. *Biol Reprod* 2003;68(6):1982-8.

Tenaillon O, Le Nagard H, Godelle B, Taddei F. Mutators and sex in bacteria: conflict between adaptive strategies. *Proc Natl Acad Sci U S A* 2000;97(19):10465-70.

Tenaillon O, Taddei F, Radman M, Matic I. Second-order selection in bacterial evolution: selection acting on mutation and recombination rates in the course of adaptation. *Res Microbiol* 2001;152(1):11-6.

Terouanne B, Tahiri B, Georget V, Belon C, Pujol N, Avances C, et al. A stable prostatic bioluminescent cell line to investigate androgen and antiandrogen effects. *Mol Cell Endocrinol* 2000;160(1-2):39-49.

Thibaut R, Debrauwer L, Rao D, Cravedi JP. Urinary metabolites of 4-n-nonylphenol in rainbow trout (*Oncorhynchus mykiss*). *Sci Total Environ* 1999;233(1-3):193-200.

Tucker MA, Goldstein AM. Melanoma etiology: where are we? *Oncogene* 2003;22(20):3042-52.

Vaillant V, Espié E. Facteurs de risque de survenue des syndromes hémolytiques et urémiques liés à une infection à *Escherichia Coli* producteurs de shiga-toxine chez les enfants de moins de 15 ans en France. *INVS*; 2002 Juin 2002.

Van Grevenynghe J, Rion S, Le Ferrec E, Le Vee M, Amiot L, Fauchet R, et al. Polycyclic aromatic hydrocarbons inhibit differentiation of human monocytes into macrophages. *J Immunol* 2003;170(5):2374-81.

Van Grevenynghe J, Sparfel L, Le Vee M, Gilot D, Drenou B, Fauchet R, et al. Cytochrome P450-dependent toxicity of environmental polycyclic aromatic hydrocarbons towards human macrophages. *Biochem Biophys Res Commun* 2004;317(3):708-16.

Varraso R, Massin N, Hery M, Fradier-Dusch M, Michaely JP, Fournier M, et al. Not only training but also exposure to chlorinated compounds generates a response to oxidative stimuli in swimmers. *Toxicol Ind Health* 2002;18(6):269-78.

Vassal S, Favennec L, Ballet JJ, Brasseur P. Disinfection of endoscopes contaminated with *Cryptosporidium parvum* oocysts. *J Hosp Infect* 2000;44(2):151.

Verger P, Hunault C, Rotily M, Baruffol E. Colloque "Epidemiologie, Environnement et Santé, Saint-Malo, 25-27 octobre 1999

Facteurs de variation des symptômes de stress post-traumatique cinq années après l'inondation de 1992 dans le Vaucluse. *Revue d'épidémiologie et de santé publique* 1999;48, suppl:2S44-2S53.

Verger P, Rotily M, Baruffol E, Boulanger N, Vial M, Sydor G, et al. Evaluation des conséquences psychologiques des catastrophes environnementales : une étude de faisabilité à partir des inondations de 1992 dans le Vaucluse (France). *Santé* 1999;9,5:313-318.

Vernhet L, Allain N, Le Vee M, Morel F, Guillouzo A, Fardel O. Blockage of multidrug resistance-associated proteins potentiates the inhibitory effects of arsenic trioxide on CYP1A1 induction by polycyclic aromatic hydrocarbons. *J Pharmacol Exp Ther* 2003;304(1):145-55.

Vignoles P, Dreyfuss G, Rondelaud D. Radial growth and cercarial productivity of *Fasciola hepatica* in three species of young lymnaeid snails. *J Helminthol* 2002;76(3):269-72.

Vignoles P, Favennec L, Dreyfuss G, Rondelaud D. Highland populations of *Lymnaea truncatula* infected with *Fasciola hepatica* survive longer under experimental conditions than lowland ones. *Parasitol Res* 2002;88(4):386-8.

Vignoles P, Favennec L, Rondelaud D, Dreyfuss G. The experimental production of *Fasciola hepatica* metacercariae from three aquatic populations of *Galba truncatula*. *J Helminthol* 2003;77(3):275-7.

Vignoles P, Menard A, Rondelaud D, Chauvin A, Dreyfuss G. *Fasciola hepatica*: the characteristics of experimental infections in *Lymnaea truncatula* subjected to miracidia differing in their mammalian origin. *Parasitol Res* 2001;87(11):945-9.

Villatte F, Marcel V, Estrada-Mondaca S, Fournier D. Engineering sensitive acetylcholinesterase for detection of organophosphate and carbamate insecticides. *Biosens Bioelectron* 1998;13(2):157-64.

Villena I, Aubert D, Gomis P, Ferte H, Ingland JC, Denis-Bisiaux H, et al. Evaluation of a strategy for *Toxoplasma gondii* oocyst detection in water. *Appl Environ Microbiol* 2004;70(7):4035-9.

White-Koning ML, Hemon D, Laurier D, Tirmarche M, Jouglu E, Goubin A, et al. Incidence of childhood leukaemia in the vicinity of nuclear sites in France, 1990-1998. *Br J Cancer* 2004.

Zalko D, Costagliola R, Dorio C, Rathahao E, Cravedi JP. In vivo metabolic fate of the xeno-estrogen 4-n-nonylphenol in Wistar rats. *Drug Metab Dispos* 2003;31(2):168-78.

Zmirou D, Gofiti-Laroche L. *Prospectives studies*. . CRC Press; 2002.

Zureik M, Neukirch C, Leynaert B, Liard R, Bousquet J, Neukirch F. Sensitisation to airborne moulds and severity of asthma: cross sectional study from European Community respiratory health survey. *Bmj* 2002;325(7361):411-4.